

## HOW TO DETERMINE YOUR RING SIZE

### CONFIRM PRINTED PAPER SIZE




1. **Ring measurements are very precise.** Carefully follow these instructions to obtain an accurate measurement.
2. **Prior to printing,** ensure that Page Scaling is set to "None" on your print dialog box. (To open the print dialog box, press CTRL+P.)
3. **Measure the bar on the left.** It must be exactly 30 mm long.

### MEASURE CURRENT RING

1. Select a ring that properly fits the intended finger.

Engagement and wedding rings are traditionally worn on the ring finger on the left hand in the United States.

2. Place the ring over the circles below, matching the inside edge of the ring to the circle nearest in size. This measurement refers to the inside **diameter** of the ring.
3. If the ring falls between two sizes, order the larger size.



MEASUREMENTS MATCH THE  
INSIDE EDGE OF THE RING



# STEVE ZIPKIN & CO.



## INTERNATIONAL RING SIZE CHART

Circumference (mm)	Diameter (mm)	Europe	UK & Australia	United States & Canada	China	Singapore & Japan	Hong Kong	Switzerland
44.2	14.1	44	F½	3	6	4	6	4
44.8	14.3	45	G			5		5¼
45.5	14.5		G½	3½	7		7.5	
46.1	14.7	46	H			6		6½
46.8	14.9	47	H½	4	8	7	9	
47.4	15.1		I		9			7¾
48.0	15.3	48	I½	4½		8	10	
48.7	15.5		J					9
49.3	15.7	49	J½	5	10	9	11	
50.0	15.9	50	K					10
50.6	16.1		K½	5½	11	10	12	
51.2	16.3	51	L					11¾
51.9	16.5	52	L½	6	12	11	13	12¾
52.5	16.7		M		13	12		
53.1	16.9	53	M½	6½		13	14.5	14
53.8	17.1		N		14			
54.4	17.3	54	N½	7		14	16	15¼
55.1	17.5	55	O		15			
55.7	17.7		O½	7½		15	17	16½
56.3	17.9	56	P		16			
57.0	18.1	57	P½	8	17	16		17¾
57.2	18.2						18	
57.6	18.3		Q					
58.3	18.5	58	Q½	8½	18	17	19	
58.9	18.8	59	R					19
59.5	19.0		R½	9	19	18	20.5	
60.2	19.2	60	S		20			20¼
60.8	19.4	61	S½	9½		19	22	
61.4	19.6		T		21			21½
62.1	19.8	62	T½	10		20	23	
62.7	20.0		U		22	21		
63.4	20.2	63	U½	10½		22	24	22¾
64.0	20.4	64	V		23			
64.6	20.6		V½	11		23	25	
65.3	20.8	65	W		24			25
65.9	21.0	66	W½	11½	25	24	26	
66.6	21.2		X					
67.2	21.4	67	X½	12	26	25	27.75	27½
67.8	21.6		Y					
68.5	21.8	68	Z	12½		26		28¾
69.1	22.0	69	Z½					
69.7	22.2	70		13		27	30	
70.4	22.4		Z+1					
71.0	22.6		Z+2	13½				

FOR ASSISTANCE PLEASE CALL OR E-MAIL

## TIPS FOR MEASURING RING SIZE

### MEASURING YOUR FINGER

**Your ring should fit your finger comfortably;** snug enough so that it will not fall off, but loose enough to slide over your knuckle.

**Finger size changes** depending on the time of day and the weather. For best results measure your finger size:

1. At the end of the day and when your fingers are warm (Fingers are smaller in the early morning and when cold.)
2. Measure finger size 3 to 4 times to eliminate an erroneous reading.

**Avoid using string or paper** to measure ring size as these materials can stretch or twist, yielding an inaccurate measurement.

### TIPS FOR BUYING THE RING AS A SURPRISE

Ask your significant other's friends or mother if they know her finger size.

Borrow one of your significant other's rings (from the correct finger) and use the ring measurements above to determine its size.

### FREE RESIZING

**Steve Zipkin & Co.** provides complimentary resizings on all customized engagement rings during the first year. Simply call our Diamond and Jewelry Concierge to arrange for your free resize.

### INTERNATIONAL SIZE CONVERSION

If ordering from outside of the US or Canada, determine your ring size according to your country's standard. Then use the International Ring Size Chart to convert to the corresponding US ring size to place your order.